

CLAIMS:

- 5 1. An aqueous hair dye composition comprising a mixture of:
- (A) a non-nitrogenous chelating agent selected from the group
 consisting of polyphosphates, phosphonates, hydroxycarboxylates,
 polyacrylates, zeolites and mixtures thereof;
- (B) an oxidative dye primary intermediate; and
- 10 (C) an oxidative dye coupler.
2. A composition in accordance with claim 1, wherein the non-nitrogenous
 chelating agent is a chelating agent that lacks an aminocarboxylic acid
 group or an aminophosphonic acid group.
- 15 3. A composition in accordance with claim 2, wherein the chelating agent is
 a polyphosphate.
- 20 4. A composition in accordance with claim 2, wherein the chelating agent is
 a phosphonate.
- 25 5. A composition in accordance with claim 2, wherein the chelating agent is
 a hydroxycarboxylate.
- 30 6. A composition in accordance with claim 2, wherein the chelating agent is
 a polyacrylate.

7. A composition in accordance with claim 2, wherein the chelating agent is a zeolite.

5

8. A composition in accordance with claim 1, wherein the non-nitrogenous chelating agent is present at from about 0.1% to about 10%.

10

9. A composition in accordance with claim 7, which further comprises from about 0.01% to about 10% of amino containing chelating agents.

15

10. A hair dye composition according to claim 1 comprising:
- (A) about 0.1 to about 3% of a non-amino chelating agent selected from the group consisting of polyphosphates, phosphonates, hydroxycarboxylates, polyacrylates, zeolites and mixtures thereof;
 - (B) about 0.1 to about 5% oxidative dye primary intermediate; and
 - (C) about 0.1 to about 5% oxidative dye coupler; and
 - (D) water

20

11. A composition according to claim 1 comprising a mixture of:
- (A) about 0.01 to about 3% of a non-nitrogenous chelating agent selected from the group consisting of polyphosphates, phosphonates, hydroxycarboxylates, polyacrylates, zeolites and mixtures thereof;
 - (B) about 0.01 to about 5% oxidative dye primary intermediate; and
 - (C) about 0.01 to about 5% oxidative dye coupler; and
 - (D) water.

25

30

12. A hair dye composition according to claim 1 which further comprises at least a solvent selected from the group consisting of propylene glycol, isopropylene glycol and isopropanol.

13. A hair dye composition according to claim 1 which further comprises a conditioner.

14. A hair dye composition according to claim 1 which further comprises a humectant.

15. A hair dye composition according to claim 1 wherein said oxidative dye primary intermediate is selected from the group consisting of phenol aniline derivatives, pyridine derivatives, pyrimidine derivatives and mixtures thereof.

16. A hair dye composition according to claim 1 wherein said oxidative dye couplers is selected from the group consisting of phenol and aniline, pyridine, indole, indoline, pyrazone derivatives and mixtures thereof.

17. A method for coloring hair which comprises contacting said hair with a composition according to claim 1.